





















FCS-Deep round model





















FCS-Square model



















FCS-Flat round model






































FVCUSLITE















ISO 9001:2000












110°large angle beam

The light transmission covers a wide area and the space is brighter





















FCS-Deep round model

SPECIFICATIONS

Lamp model	3001G-1	4001G-1	5001G-1	6001G-1	8001G-1	10001G-1
diamete r	110MM	140MM	170MM	190MM	230MM	260MM
opening	100MM	130MM	160MM	175MM	210MM	240MM
Height	60MM	70MM	75MM	80MM	85MM	90MM
Power	7-9W	9-12W	12-15W	18-21W	21-24W	24-30W
Beam angle of light			120°			



















FCS-Square model

SPECIFICATIONS

Lamp model	3001G-2	4001G-2	5001G-2	6001G-2	8001G-2	10001G-2
diamete r	110MM	140MM	170MM	190MM	230MM	260MM
opening	100MM	130MM	160MM	175MM	210MM	240MM
Height	60MM	70MM	75MM	80MM	85MM	90MM
Power	7-9W	9-12W	12-15W	18-21W	21-24W	24-30W
Beam angle of light			120°			



















FCS-Flat round model

SPECIFICATIONS

Lamp model	3001G-3	4001G-3	5001G-3	6001G-3	8001G-3	10001G-3
diamete r	110MM	140MM	170MM	190MM	230MM	260MM
opening	100MM	130MM	160MM	175MM	210MM	240MM
Height	40MM	50MM	55MM	60MM	65MM	70MM
Power	7-9W	9-12W	12-15W	18-21W	21-24W	24-30W
Beam angle of light	120°					













