

# FOCUSLITE®

---



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai  
UAE

# FOCUSLITE®

---



## FCS-Deep round model



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai  
UAE

# FOCUSLITE®

---



## FCS-Square model



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai  
UAE

# FOCUSLITE®

---



## FCS-Flat round model



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai  
UAE

# FOCUSLITE<sup>®</sup>

---

## 110° large angle beam

The light transmission covers a wide area and the space is brighter



**110°**  
BEAM ANGLE



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai  
UAE

FCS-Deep round model

SPECIFICATIONS

Lamp model	3001G-1	4001G-1	5001G-1	6001G-1	8001G-1	10001G-1
diameter	110MM	140MM	170MM	190MM	230MM	260MM
opening	100MM	130MM	160MM	175MM	210MM	240MM
Height	60MM	70MM	75MM	80MM	85MM	90MM
luminous surface	11MM	11MM	17MM	17MM	17MM	17MM
Reflector cup angle	77°					
Power	7-9W	9-12W	12-15W	18-21W	21-24W	24-30W
Beam angle of light	120°					



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427  
Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai  
UAE

FCS-Square model

SPECIFICATIONS

Lamp model	3001G-2	4001G-2	5001G-2	6001G-2	8001G-2	10001G-2
diameter	110MM	140MM	170MM	190MM	230MM	260MM
opening	100MM	130MM	160MM	175MM	210MM	240MM
Height	60MM	70MM	75MM	80MM	85MM	90MM
luminous surface	11MM	11MM	17MM	17MM	17MM	17MM
Reflector cup angle	77°					
Power	7-9W	9-12W	12-15W	18-21W	21-24W	24-30W
Beam angle of light	120°					



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427  
Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai  
UAE

FCS-Flat round model

SPECIFICATIONS

Lamp model	3001G-3	4001G-3	5001G-3	6001G-3	8001G-3	10001G-3
diameter	110MM	140MM	170MM	190MM	230MM	260MM
opening	100MM	130MM	160MM	175MM	210MM	240MM
Height	40MM	50MM	55MM	60MM	65MM	70MM
luminous surface	11MM	11MM	17MM	17MM	17MM	17MM
Reflector cup angle	77°					
Power	7-9W	9-12W	12-15W	18-21W	21-24W	24-30W
Beam angle of light	120°					



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427  
Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai  
UAE