

FOCUSLITE[®]



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE

FOCUSLITE®



ISO 9001:2000




Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE



Non-adjustable angle



Adjustable angle




ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE

FOCUSLITE®



*With complete accessories



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE

FOCUSLITE®



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE

FOCUSLITE®



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE




Installation Methods

1



2



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE

FCS-T direct/adjustable spotlight

FCS-T direct/adjustable spotlight

Description:

Embedded adjustable spotlights/with honeycomb net.

Surface treatment: sand white.

Material/process: aluminum/integrated die-casting.

Voltage: AC12V.

Front ring color options: white cup/black cup.

Beam angle: 15° /24° /38° /60° .

Compatible light source brackets: 1507/1830/020/030.

SPECIFICATIONS

Lamp model	T2511A T direct illumination lamp	T3011A T direct illumination lamp	T4011A T direct illumination lamp	T3011B T adjustable spotlight	T4011B T adjustable spotlight
Diamete/l ength * width	85MM	108MM	135MM	138MM	165MM
opening	75MM	95MM	125MM	125MM	150MM
Height	70MM	85MM	97MM	90MM	100MM
Power	12W	20W	35W	20W	35W
Luminous surface	11mm	11mm	17mm	17mm	17mm
Beam angle of light	15° /24° /38° /60°				



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai UAE